

<b>ENGINE</b>		<b>Wrangler Unlimited Sahara 4-door petrol 2.0L TC GME ATX 4WD</b>
No. of cylinders, layout		4 – in line
Displacement (cm <sup>3</sup> )		1995
Bore x stroke (mm)		84.0 x 90.0
Valves per cylinder		4
Compression ratio		10:01
Max. power kW @ rpm		200 kW @ 5.250
Max. torque Nm @ rpm		400 Nm @ 3.000
Fuel injection		Gasoline Direct Injection
Fuel type		PETROL
Fuel tank capacity (l)		81
<b>GEARBOX</b>		
Transmission		8-speed AUTOMATIC
1 <sup>st</sup>		4.714
2 <sup>nd</sup>		3,143
3 <sup>rd</sup>		2.106
4 <sup>th</sup>		1.667
5 <sup>th</sup>		1.285
6 <sup>th</sup>		1.000
7 <sup>th</sup>		0.839
8 <sup>th</sup>		0.667
Reverse		3.295
Final drive ratio		3.45
<b>DRIVETRAIN</b>		
Transfer case		Command-Trac Low gear 2.72:1
Crawl ratio		44.2

<b>PERFORMANCE</b>	
Acceleration: 0-100 kph (s)	7.6
Top Speed (kph)	180
<b>CONSUMPTION AND EMISSIONS</b>	
Emission standard	EU6D- TEMP
Fuel consumption – urban (l/100 km)	min 11.1 - max 11.3
Fuel consumption – extra-urban (l/100 km)	min 7.1 - max 7.5
Fuel consumption – combined (l/100 km)	min 8.6 - max 8.9
CO <sub>2</sub> emissions – urban (g/km)	min 253.8 - max 260.1
CO <sub>2</sub> emissions – extra-urban (g/km)	min 163.2 - max 172
CO <sub>2</sub> emissions – combined (g/km)	min 196.7 - max 204.5

<b>WEIGHT AND DIMENSIONS</b>	
Kerb weight STD. A (kg)	2037
Weight distribution front/rear (%)	53/47
Max. payload (kg)	526
Height (mm) w/ standard soft top	1891
Width (mm)	1.894
Lenght (mm)	4.882
Wheelbase (mm)	3.008
Ground clearance (mm)	242
Load capacity (l) with seats in position	548
Load capacity (l) with flat rear seats	1059

<b>OTHER</b>	
Approach/departure/breakover angle	35.4/30.7/20.0
Turning Diameter (m)	12,28
Steering angle (inner/outer wheel)	41°/34.4°
Steering Turns	3.24
Steering ratio	14.2
Water fording (mm/kph)	760/8